

WHAT IS CLAIMED IS:

1. An image forming apparatus that performs printing based on data sent from an external terminal device via a network, comprising:

5 a non-volatile memory which stores processing status information of print jobs;

determining means for determining, when the image forming apparatus has been restored to its normal state, whether there are any jobs remaining to be printed based on the print job processing status information stored in the non-volatile memory; and

10 resend request issuing means for requesting a terminal device that sent data of an outstanding print job to resend the data when it is determined by the determining means that the outstanding print job exists.

2. An image forming apparatus as claimed in Claim 1, wherein said restoration in the determining means is a power restoration after a shutdown.

20 3. An image forming apparatus as claimed in Claim 1, further comprising:

job identification information supply means for providing job identification information to each print job data sent from the external terminal device.

4. An image forming apparatus as claimed in Claim 3,
wherein said resend request issuing means requests
to resend the data based on the job identification information
of the outstanding print job.

5

5. An image forming apparatus as claimed in Claim 3,
wherein said non-volatile memory stores the job
identification information with a terminal device identifier
which send data of the job.

10

6. An image forming apparatus as claimed in Claim 1,
wherein said data includes an information of print
request and a print data.

15

7. A terminal device that sends data to an image forming
apparatus connected to it via a network to cause the apparatus
to perform printing, comprising:

20

receiving means for receiving a data resend request
sent from the image forming apparatus when the image forming
apparatus has been restored to its normal state; and
data resend means for resending the data in
response to the resend request.

25

8. A terminal device as claimed in Claim 7,
wherein said receiving means receives a job
identification information with the resend request, and said

data resend means resend the data corresponding to the job identification information.

Sub
part 7.

5 An image forming system in which an image forming apparatus and a terminal device are connected via a network and the image forming apparatus executes printing based on data sent from the terminal device, comprising:

said image forming apparatus including,

10 a non-volatile memory which stores the print job processing status,

determining means for determining, when the image forming apparatus has been restored to its normal state, whether or not there are any jobs remaining to be printed based on the processing status information stored in the memory,

15 and

transmitting means for sending resend request information to request the terminal device that sent the data of an outstanding print job to resend it when it is determined by the determining means that the outstanding print job

20 exists; and

said terminal device including,

receiving means for receiving the resend request information sent from the image forming apparatus, and

25 data resend means for resending said data in response to the receipt of said resend request information.

00161277.092898

10. An image forming system as claimed in Claim 9,
wherein said restoration in the determining means
is a power restoration after a shutdown .

5 11. An image forming system as claimed in Claim 9, said
image forming apparatus further comprising:

job identification information supply means for
providing job identification information to each print job
data sent from the external terminal device.

10

12. A image forming system as claimed in Claim 11,
wherein said receiving means receives a job
identification information with the resend request, and said
data resend means resend the data corresponding to the job
15 identification information.

15

13. A print resume method for an image forming apparatus
to perform printing based on data sent from an external
terminal device connected to it via a network, comprising the
20 steps of:

storing the print job processing status in a
non-volatile memory;

20

determining, when the image forming apparatus has
been restored to its normal state, whether or not there are
25 any jobs remaining to be printed based on the processing
status information stored in the memory;

25

9/26/07
A37

requesting the terminal device that sent said print job data to resend it when it is determined by said determining means that there are print jobs remaining to be printed; and

5 resuming printing based on the resended data sent from the terminal device.

14. A data sending method for the terminal device to send data to the image forming apparatus connected to it via a network and cause it to perform printing, comprising the steps of:

 sending print data to the image forming apparatus;
 receiving a print data resend request sent from the image forming apparatus when the image forming apparatus has
15 been restored to its normal state; and

 resending the print data in response to said resend request.

15. A print data transmission method for an image forming system in which an image forming apparatus and a terminal device are connected via a network, and printing is performed by said image forming apparatus based on print data sent from said terminal device, comprising the steps of:

 said image forming apparatus including the steps
25 of,

storing the print job processing status in a
non-volatile memory,

determining, when the image forming apparatus has
been restored to its normal state, whether or not there are
5 any jobs remaining to be printed based on the processing
status information stored in the memory, and

sending resend request information requesting
that the terminal device that sent said print job data to
resend it when it is determined that there are print jobs
10 remaining to be printed; and

said terminal device including the steps of,
receiving the print data resend request
information sent from the image forming apparatus, and

resending the print data in response to the
15 receipt of said resend request information.

2009/08/26